

# Uvitem

Ultravioleta, Tecnología  
y Maquinaria, S.L.

## Agitators with pneumatic lifting for containers and large diameter deposits

**Uvitem** has included in the production line a new wide range of agitators for large diameter containers and deposits and low viscosity.

Pneumatic lifting


CE ATEX



**Our costs  
reduction  
make  
our prices  
very  
competitive**

**Power:  
5'5 HP - 7'5 HP - 10 HP**

**Suitable for  $\varnothing$ 2.000 mm x 1.400 mm high deposits**



**Detail of agitator for  
containers**



### **Detail for agitator for deposits**


- Pneumatic lifting
- Power: 5'5 HP - 7'5 HP - 10 HP
- Electronic speed variation
- Clamping system for tanks
- Safe clamping and lifting by means of limit switch
- Speed range: From 0 to 1.500 RPM

**The easy operation and the innovative design allow the maximum reduction of safety risks.**

**The lower sound pressure level eases the work of operators and reduces tiredness.**

**It is aesthetically and functionally better designed, which provides a greater customer satisfaction.**

# GENERAL DIMENSIONS



**Dimension of agitators for containers and large diameter deposits**

A	B	C	D	E	F	G	H	I
2.070	1.860	1250	980	1.190	1.430	1.430	3.110	210